

# **RSJ Single Open Light Curtain** Left Table Cutout (Page 2 of 2)

System Dimension (Within Fence): 19'-2" x 17'-2 1/2"

Footprint (Oper. Stand Current Position): 19'-10" x 28'-3"

# **Utility Requirements**

## Power:

1 Circuit 480V 3Phase 80A 60Hz (Robot) 1 Circuit 480V 3Phase 100A 60Hz (Pump)

## Air:

1 Source 4cfm 1 Port (Robot) 1 Port (Abrassive Hopper)

## Water:

1 Source Clean 1 Port 4gpm (Waterjet)

1 Port 3-5gpm <65°F (Pump Cooling Water)

1 Source Gray 5gpm (Saw Water)







RSJ Single Open Light Curtain

Job No: **LC on Post** | REV: 2

FINAL PLACEMENT DETERMINED DURING INSTALLATION. DO NOT SCALE







System Dimension (Within Fence): 19'-2" x 17'-2 1/2"

Footprint (Oper. Stand Current Position): 19'-10" x 28'-3"

# **Utility Requirements**

## Power:

1 Circuit 480V 3Phase 80A 60Hz (Robot) 1 Circuit 480V 3Phase 100A 60Hz (Pump)

## Air:

1 Source 4cfm 1 Port (Robot) 1 Port (Abrassive Hopper)

# Water:

1 Source Clean

1 Port 4gpm (Waterjet)

1 Port 3-5gpm <65°F (Pump Cooling Water) 1 Source Gray 5gpm (Saw Water)

> See Pre-Install Document For Additional Information



RSJ Single Open Light Curtain Right Table CUTOUT

Job No: **LC on Post** REV: 2

FINAL PLACEMENT DETERMINED DURING INSTALLATION. DO NOT SCALE

Cutout for 2" Pipe

Foundation Cutout

**-** 2'3" **-**

7'6"