

BACA PURE SWF-HYDRO 80

1

D

С

В

Utility Requirements

Power:

2

460V @ 25 FLA 230V @ 46 FLA

2" Over Head Plumbing



PRDPRIETARY AND CONFIDENTIAL. THE INFORMATION CONTAINED IN THIS DRAVING IS THE SOLE PROPERTY OF BACA SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSI OF BACA SYSTEMS IS PONUMITED
 SYSTEMS

 DRAWN BY: MN
 CHECKED BY:

 DESC:
 BACA PURE - Layout

 SWF-HYDRO 80

 Job No:


 REV: L-1.03

 SIZE:
 B

 SCALE
 1:25

 1/12/2024
 SHEET 1 OF 8

1



BACA PURE SWF-3-80

1

D

С

В

Utility Requirements


Power:

2

460V @ 25 FLA 230V @ 46 FLA

Air: 2scfm @ 65 PSI





BACA PURE SWF-3-120

1

D

С

В

Utility Requirements


Power:

2

460V @ 28 FLA 230V @ 52 FLA

Air: 2scfm @ 65 PSI





BACA PURE SWF-3-160

1

D

С

В

Utility Requirements


Power:

2

460V @ 36 FLA 230V @ 68 FLA

Air: 2scfm @ 65 PSI





BACA PURE SWF-4-200

1

D

С

В

Utility Requirements


Power:

2

460V @ 44 FLA 230V @ 84 FLA

Air: 2scfm @ 65 PSI





BACA PURE SWF-4-240

1

D

С

В

Utility Requirements


Power:

2

460V @ 52 FLA 230V @ 100 FLA

Air: 2scfm @ 65 PSI





BACA PURE SWF-4-320

1

D

С

В

Utility Requirements


Power:

2

460V @ 57 FLA 230V @ 108 FLA

Air: 2scfm @ 80 PSI





STATION	
2'-6 ³ / ₄ "	С
	E
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DRAWN BY: MN CHECKED BY: DRAWN BY: MN CHECKED BY: DESC: BACA PURE - Layout QUAD and Filter Cleaning Station Job No: SZE: B SCALE 1:20 1/12/2024 SHEET 8 OF 8	

D